

IN THE CLAIMS:

The following is a complete listing of the claims in this application, reflects all changes currently being made to the claims, and replaces all earlier versions and all earlier listings of the claims;

Claims 1. – 13. (cancelled).

Claim 14. (new): A facsimile apparatus comprising:

a receiver configured to receive facsimile data from a telephone line;

a display controller configured to display on a display a part of an image, which can be greater or less than a page of the image, based on the facsimile data received by said receiver;

an instruction unit configured to accept an instruction by a user to process the facsimile data received by said receiver based on facsimile data corresponding to the part of the image displayed on the display;

a printer configured to print out the facsimile data corresponding to the part of the image displayed on the display;

a delete unit configured to delete the facsimile data corresponding to the part of the image displayed on the display;

a detector configured to detect what command regarding the facsimile data received by said receiver has been accepted by said instruction unit, even before the receipt by

said receiver and the display by said display controller of a first page of the image is complete;  
and

a controller configured to

cause said printer to print out the facsimile data corresponding to the part of the image displayed on the display when the command detected by said detector is a print command, and

cause said delete unit to delete the facsimile data corresponding to the part of the image displayed on the display when the command detected by said detector is a delete command.

Claim 15. (new): The apparatus according to claim 14, wherein if the print command has been accepted while the part of the image is being displayed on the display, said printer prints out the facsimile data corresponding to the part of image being displayed.

Claim 16. (new): A method of controlling a facsimile apparatus, comprising:

a receiving step of receiving facsimile data from a telephone line;

a display controlling step of displaying on a display a part of an image, which can be greater or less than a page of the image, based on the facsimile data received in said receiving step ;

an instruction step of accepting an instruction by a user to process the facsimile data received in said receiving step based on facsimile data corresponding to the part of the image displayed on the display;

a printing step of printing out the facsimile data corresponding to the part of the image displayed on the display;

a deleting step of deleting the facsimile data corresponding to the part of the image displayed on the display;

a detecting step of detecting what command regarding the facsimile data corresponding to the part of the image has been accepted in said instructing step, even before the receipt in said receiving step and the display in said display controlling step of a first page of the image is complete; and

a controlling step of

executing said printing step to print out the facsimile data corresponding to the part of the image displayed on the display when the command detected in said detecting step is a print command, and

executing said deleting step to delete the facsimile data corresponding to the part of the image displayed on the display when the command detected in said detecting step is a delete command.

Claim 17. (new): A computer-readable storage medium storing, in executable form, a computer program implementing a method for implementing a method for controlling a facsimile apparatus, said method comprising the steps of:

a receiving step of receiving facsimile data from a telephone line;

a display controlling step of displaying on a display a part of an image, which can be greater or less than a page of the image, based on the facsimile data received in said receiving step ;

an instruction step of accepting an instruction by a user to process the facsimile data received in said receiving step based on facsimile data corresponding to the part of the image displayed on the display;

a printing step of printing out the facsimile data corresponding to the part of the image displayed on the display;

a deleting step of deleting the facsimile data corresponding to the part of the image displayed on the display;

a detecting step of detecting what command regarding the facsimile data corresponding to the part of the image has been accepted in said instructing step, even before the receipt in said receiving step and the display in said display controlling step of a first page of the image is complete; and

a controlling step of  
executing said printing step to print out the facsimile data corresponding to the part of the image displayed on the display when the command detected in said detecting step is a print command, and

executing said deleting step to delete the facsimile data corresponding to the part of the image displayed on the display when the command detected in said detecting step is a delete command.